

SEIT 1928

KONDENSATORMIKROFONE
FÜR STUDIO - UND MESSTECHNIK


MICROTECH GEFELL



Measurement Microphone Equipment Price List ►►►►►►

EDITION October 2005

All previous price lists are herewith cancelled



Order-No.	Type	Measuring microphone capsules 1" CI.1		EUR Netto
311113	MK102.1	Measuring microphone capsule 1", free field	10 Hz ... 20 kHz	1220,00
311114	MK103.1	Measuring microphone capsule 1", free field, infrasound	2 Hz ... 20 kHz	1220,00
311118	MK112	Measuring microphone capsule 1", pressure and diffuse field	5 Hz ... 8 kHz	1250,00

Order-No.	Type	Measuring microphone capsules 1/2" CI.1		
311102	MK 202	Measuring microphone capsule 1/2", free field	10 Hz ... 40 kHz	695,00
311132	MK 202 E	Measuring microphone capsule 1/2", free field, polarized	10 Hz ... 40 kHz	775,00
311103	MK 221	Measuring microphone capsule 1/2", free field	3,5 Hz ... 20 kHz	695,00
311110	MK 222	Measuring microphone capsule 1/2", free field, infrasound	0,5 Hz ... 20 kHz	795,00
311119	MK 222 E	Measuring microphone capsule 1/2", free field, infrasound, polarized	0,5 Hz ... 20 kHz	855,00
311120	MK 222 B	Measuring microphone capsule 1/2", free field, infrasound, coated	0,5 Hz ... 20 kHz	895,00
311121	MK 222 BE	Measuring microphone capsule 1/2", free field, infrasound, polarized, coated	0,5 Hz ... 20 kHz	955,00
311116	MK 223	Measuring microphone capsule 1/2", free field, coated	3,5 Hz ... 20 kHz	815,00
311106	MK 231	Measuring microphone capsule 1/2", pressure and diffuse field	3,5 Hz ... 8 kHz	695,00
311133	MK 231 E	Measuring microphone capsule 1/2", pressure and diffuse field, polarized	3,5 Hz ... 8 kHz	765,00
311115	MK 231 B	Measuring microphone capsule 1/2", pressure and diffuse field, coated	3,5 Hz ... 8 kHz	865,00
311117	MK 231 BE	Measuring microphone capsule 1/2", pressure and diffuse field, polarized, coated	3,5 Hz ... 8 kHz	925,00
311130	MK 233 B	Measuring microphone capsule 1/2", pressure and diffuse field, coated for WME 960 H		890,00
311131	MK 233 E	Measuring microphone capsule 1/2", pressure and diffuse field, polarized for WME 960 H		790,00
311135	MK 233 BE	Measuring microphone capsule 1/2", pressure and diffuse field, polarized, coated for WME 960 H		950,00
311122	MK 250	Measuring microphone capsule 1/2", free field, polarized	3,5 Hz ... 20 kHz	760,00
311134	MK 250 B	Measuring microphone capsule 1/2", free field, polarized, coated	3,5 Hz ... 20 kHz	860,00
311123	MK 290	Measuring microphone capsule 1/2", pair, free field for SIS	35 Hz ... 5 kHz	2.250,00

Order-No.	Type	Measuring microphone capsules 1/2" CI.1		
311109	MK 301	Measuring microphone capsule 1/4", free field	5 Hz ..100 kHz	705,00
311127	MK 302	Measuring microphone capsule 1/4", free field	5 Hz ... 60 kHz	890,00
311124	MK 390	Measuring microphone capsule 1/4", pair, free field for SIS	1 kHz ... 12 kHz	2.250,00
305002	MS 301	Measuring probe 1/4", incl. MK 301	5 Hz ... 10 kHz	1.260,00
305004	MS 302	Measuring probe 1/4", incl. MK 302	5 Hz ... 10 kHz	1.480,00

Order-No.	Type	Measuring microphone preamplifiers	without MH 64	
311206	MV 203	Measuring microphone preamplifier 1/2", U _{pol.} 200 V, 2 m cable, 7-pin LEMO-plug		595,00
301210	MV 203.2	ditto, with gooseneck, 7-pin LEMO-plug		840,00
311215	MV 203.3	Measuring microphone preamplifier 1/2", U _{pol.} 200 V, 7-pin LEMO-plug for WME 960 H		565,00
311207	MV 204	Measuring microphone preamplifier 1/2", U _{pol.} 0 V, 2 m cable, 7-pin LEMO-plug		595,00
311216	MV 204.3	Measuring microphone preamplifier 1/2", U _{pol.} 0 V, 7-pin LEMO-plug		565,00
301206	MV 205	Measuring microphone preamplifier 1/2", U _{pol.} 200 V, 7-pin LEMO-plug for WME 940		610,00
311217	MV 206	Measuring microphone preamplifier 1/2", U _{pol.} 200 V, 2 m cable, 7-pin LEMO-plug for insert-voltage calibration		1.035,00
311212	MV 210	Measuring microphone preamplifier 1/2", U _{pol.} 0 V, constant current powered, BNC-plug		490,00
311219	MV 220	Measuring microphone preamplifier 1/2", P 48 V, U _{pol.} 0 V, 2 m cable, 3-pin XLR-plug		750,00
311218	MV 225	Measuring microphone preamplifier 1/2", P 48 V, U _{pol.} 200 V, without cable, 3-pin XLR-plug		950,00
311214	MV 230	Measuring microphone amplifier, <i>digital</i> , with MH 93, AES 42, 2 level ranges		1.830,00
311209	MV 302	Measuring microphone preamplifier 1/4", U _{pol.} 200 V, 3 m cable, 7-pin LEMO-plug		775,00
301211	MV 302.1	Measuring microphone preamplifier 1/4", U _{pol.} 200 V, for SIS 90		775,00

Order-No.	Type	Condenser measuring microphone		
318005	MM 210	Electret measuring microphone 1/2", Cl. 1, constant current powering, Microphone DIN EN 60651, BNC-plug		1.250,00
311125	M 360	Electret measuring microphone 1/4", Cl. 1, constant current powering, Microdot-plug		395,00
311126	M 360	Electret measuring microphone 1/4", Cl. 1, constant current powering, BNC-plug		395,00
311136	M 365	Electret measuring microphone 1/4", constant current powering, BNC-plug, unselected		265,00

Order-No.	Type	Power Supplies	EUR Netto
302103	MN 900	Measuring microphone power supply, 2-channels Mains voltage 115/230 V; 50/60 Hz Operating voltage 200 V; 120 V; 5,8 V DC Input 7-pin LEMO, Output BNC	1.190,00
302114	MN 920	Measuring amplifier with power supply, 1-channel Battery and mains operation with AC adaptor	895,00
302115	MN 925	ditto with battery charge option	995,00
302110	SB 92	Battery operation power supply for constant current powered microphones, flange socket	395,00
610026	M 28	power supply for current powered microphones 24V DC, 4mA with AC adaptor	195,00
302101	MN 940	Measuring microphone power supply for WME 940, 1-channels Mains voltage 115/230 V; 50/60 Hz or Accumulator 12 V Operating voltage 200 V; 120 V; 12 V DC Input 10-pin LEMO, 4-pin. LEMO for external devices; Output BNC	850,00
312102	MN 960-4	Measuring microphone power supply, 4-channels Mains voltage 115/230 V; 50/60 Hz Operating voltage 120 V, U _{pol} 200 V Input 7-pin LEMO, Output BNC	2.340,00
312101	MN 960-8	Measuring microphone power supply, 8-channels Mains voltage 115/230 V; 50/60 Hz Operating voltage 120 V, U _{pol} 200 V Input 7-pin LEMO, Output BNC	4.085,00
302105	EST 960	Power supply insertion module for MN 960-4 and MN 960-8	445,00
302106	ENT 960	Mains power supply module for MN 960-4 and MN 960-8	560,00
302107	VM 960	Power supply module incl. calibration generator for WME 960 H	1.195,00
302113	AI 23	USB-Audio-Interface for MV 230 <i>digital</i> , 2 x 24 Bit Interface with installation software Measuring microphone-AES 42, PC- USB	850,00

Order-No.	Type	Sound intensity probes	EUR Netto
315002	SIS 90-1/2"	Sound intensity probe Measuring microphone preamplifiers 1/4" MV 302.1 Measuring microphone capsule pair 1/2" MK 290 35 Hz ... 5 kHz Spacer 1/2" 12 and 50 mm Output 10-pin LEMO connects to a Handle or Remote control case in aluminium	4.990,00
315004	SIS 90-1/4"	ditto, with capsule pair 1/4" MK 390 1 kHz ... 12 kHz Spacer 1/4" 6 and 12 mm	4.990,00
315005	SIS 91-1/2"	Sound intensity probe Measuring microphone preamplifiers 1/4" MV 302 Measuring microphone capsule pair 1/2" MK 290 35 Hz ... 5 kHz Spacer 1/2" 12 and 50 mm Output 10-pin LEMO connects to a Handle or Remote control case in aluminium	4.290,00
315006	SIS 91-1/4"	ditto, with capsule pair 1/4" MK 390 1 kHz ... 12 kHz Spacer 1/4" 6 and 12 mm	4.290,00
315028	SIS 92-1/2"	Sound intensity probe Measuring microphone preamplifiers 1/4" MV 302 Measuring microphone capsule pair 1/2" MK 290 35 Hz ... 5 kHz Spacer 1/2" 12 and 50 mm Output 10-pin LEMO connects to a Handle or Remote control case in aluminium	4.750,00
315029	SIS 92-1/4"	ditto, with capsule pair 1/4" MK 390 1 kHz ... 12 kHz Spacer 1/4" 6 and 12 mm	4.750,00
315026	SIS 93-1/2"	Sound intensity probe , rotating for alignment with sound source Measuring microphone preamplifiers 1/4" MV 302 Measuring microphone capsule pair 1/2" MK 290 35 Hz ... 5 kHz Spacer 1/2" 12 and 50 mm Output 10-pin LEMO connects to a Handle or Remote control case in aluminium	7.200,00
315030	SIS 93-1/4"	ditto, with capsule pair 1/4" MK 390 1 kHz ... 12 kHz Spacer 1/4" 6 and 12 mm	7.200,00

Order-No.	Type	Sound intensity probes		EUR Netto
		Accessories for Sound intensity probes, optional		
305018	HG 90	Handle for SIS		315,00
600025	HG 90.1	Input 10-pin LEMO, Output 2 x 7-pin LEMO	9371106.2	620,00
305029	HG 90.2	Handle for remote control for RS 232		620,00
600005	KV 90.1	Input 10-pin LEMO, Output 14-pin LEMO 1B	937114.2	540,00
305028	KV 90.2	Splitting box for RS 232		645,00
302210	C 91.1	14-pin LEMO, Output 2 x 7-pin LEMO, 1 x DSUB-9		
302217	C 91.2	Splitting box for USB		
302226	C 91.1 USB	14-pin LEMO 1B, Output 2 x 7-pin LEMO, 1 x USB	length 10 m	610,00
		Extension cable, 14-pin LEMO 1B	length 20 m	750,00
		ditto	length 10 m	660,00
302227	C 91.2 USB	Extension cable for USB-remote control		
702002		14-pin LEMO 1B	length 20 m	870,00
701020		ditto		99,00
		case, aluminium		65,00
		Wooden case		

Order-No.	Type	Measuring microphone arrays		
313010	MA 300-Set	Array incl. 12 M 360 measuring microphones, rectangular, 3 lines, 4 columns	335 x 265 mm	6.850,00
303010	MA 300	Array for 12 measuring microphones, rectangular, 3 lines, 4 columns	335 x 265 mm	2.150,00
313013	MA 302-Set	Array incl. 16 M 360 measuring microphones, Square, 4 lines, 4 columns, prepared for fixing on underframe UG 31 and web camera	770 x 770 mm	9.650,00
303013	MA 302	Array for 16 measuring microphones, Square, 4 lines, 4 columns, prepared for fixing on underframe UG 31 and web camera	770 x 770 mm	3.650,00
313012	AK 302	Acoustic camera including 36 pieces M 360 measuring microphones, Square, 4 lines, 4 columns with underframe UG 31, web camera, cable set and transportation case AK	770 x 770 mm	13.650,00
313014	AK 310	Acoustic camera including 36 pieces M 360 measuring microphones, Arrangement spiral-shaped with underframe UG31, web camera LU125 C, cable set and transportation case AK	Ø 870 mm	35.250,00
313015	MA 310-Set	Array incl. 36 measuring microphones Arrangement spiral-shaped with underframe UG 31, web camera LU 125 C	Ø 870 mm	28.790,00
303014	UG 31	Underframe for MA 302-Set or MA 310-Set, portable		2.200,00
600065	LU 125 C	Web camera for MA 310 with USB-interface		1.490,00
312201		Cable set for MA 300; 12 x BNC.1		540,00
312202		Cable set for MA 302; 16 x BNC.1		720,00
312203		Cable set for MA 310; 36-channels		3.060,00
702009		Transportation case for AK's	L x B x H 1130 x 1000 x 700 mm	1.150,00

Order-No.	Type	Outdoor and environmental microphones		
315031	WME 940	Weatherproof microphone unit , remote calibration, sound incidence vertical Measuring microphone capsulel MK 223 Measuring microphone preamplifiers MV 205, U _{pol.} 200 V Dehumidifier TA 202 Dehumidifier TP 94 Windscreen with birdspike VW 94 Rainshield RS 94 Transportation case, wood		3.890,00
315032	WME 950	Weatherproof microphone unit , sound incidence vertical Measuring microphone capsule MK 223 Measuring microphone preamplifiers MV 203, U _{pol.} 200 V 5 m cable, 7-pin LEMO - plug Dehumidifier TA 202 Windscreen with birdspike VW 94 Rainshield RS 95 Transportation case, wood		2.395,00

Order-No.	Type	Outdoor and environmental microphones	EUR Netto
315033	WME 952	Weatherproof microphone unit , sound incidence vertical Measuring microphone capsule MK 250 Measuring microphone preamplifiers MV 210, U _{pol.} 0 V, constant current powering 5 m cable, BNC - plug Dehumidifier TA 202 Windscreen with birdspike VW 94 Rainshield RS 95 Transportation case, wood	2.395,00
315021	WME 960 H	Weatherproof microphone unit , sound incidence horizontal, remote calibration with power supply modul VM 960 incl. calibration generator Measuring microphone capsule MK 233 B Measuring microphone preamplifiers MV 203.3, U _{pol.} 200 V Dehumidifier TA 202 5 m cable, mixed coax + low voltage pins LEMO-plug Windscreen with birdspike VW 96 H Rain/ Dustshield RS 96 H Dehumidifier TP 96 Thread adapter, thread G 1 1/2" - 3/8" Transportation case, wood	5.460,00
315024	WME 960 H*	ditto, without power supply modul with interface for remote calibration 5 m cable, 7-pin LEMO - plug	4.265,00
315022	WME 965 H	Weatherproof microphone unit , sound incidence horizontal, remote calibration with calibration generator VM 960 Measuring microphone capsule MK 233 E Measuring microphone preamplifiers MV 210, U _{pol.} 0 V, constant current powering Dehumidifier TA 202 5 m cable, BNC-plug Windscreen with birdspike VW 96 H Rain/ Dustshield RS 96 H Dehumidifier TP 96 Thread adapter, thread G 1 1/2" - 3/8" Transportation case, wood	5.460,00
315025	WME 965 H*	ditto, without power supply modul, with interface for remote calibration 5 m cable, BNC - plug	4.265,00
315023	WME 970 H <i>digital</i>	Weatherproof microphone unit , sound incidence horizontal, remote calibration with calibration generator VM 960 USB-Audio-Interface for MV 230 <i>digital</i> , 2 x 24 Bit Interface with installation software Measuring microphone capsule MK 233 B Measuring microphone amplifiers MV 230, <i>digital</i> Dehumidifier TA 202 5 m cable, 6-pin LEMO-plug Windscreen with birdspike VW 96 H Rain/ Dustshield RS 96 H Dehumidifier TP 96 Thread adapter, thread G 1 1/2" - 3/8" Transportation case, wood	7.545,00
315034	WME 970 H*	ditto, without power supply modul, with interface for remote calibration 5 m cable, 3-pin XLR-plug	6.350,00
315020	GFM 920	Boundary-layer microphone Diaphragm parallel to boundary-layer Transportation case	3.565,00 Ø 1000 mm
315035	GFM 920.1	Boundary-layer microphonen with microphone arrangement conform to IEC/EN 61400-11, diaphragm vertical to boundary-layer Transportation case	3.165,00
302323	W 920	Primary windscreen for GFM 920	1.190,00 Ø 750 mm
302328	W 2.1	Secondary windscreen 1/2"	25,00 Ø 70 mm
702008		Transportation case for GFM 920	600,00 L x B x H 1080 x 1080 x 485 mm
Accessories and spare parts for Outdoor and environmental microphones			
302208	C 94.05	Connecting cable, 10-pin LEMO - 2E for WME 940	length 5 m 310,00
302209	C 94.1	Connecting cable, 10-pin LEMO - 2E for WME 940	length 10 m 360,00
302218	C 94.2	Connecting cable, 10-pin LEMO - 2E for WME 940	length 20 m 460,00
302228	C 96.05	Connecting cable for WME 960/965, mixed coax + low voltage pins LEMO PCA.3E.804 to FFP.3E.804 with coaxial system	length 5 m 555,00
302229	C 96.1	Connecting cable for WME 960/965, mixed coax + low voltage pins LEMO PCA.3E.804 to FFP.3E.804 with coaxial system	length 10 m 660,00

Order-No.	Type	Outdoor and environmental microphones	EUR Netto
Accessories and spare parts for Outdoor and environmental microphones			
302230	C 96.2	Connecting cable for WME 960/965, mixed coax + low voltage pins LEMO PCA.3E.804 to FFP.3E.804 with coaxial system	length 20 m 870,00
302232	C 25.05	Connecting cable for WME 970 <i>digital</i> 6-pin LEMO FFA.2E.306 to PCA.2E.306	length 5 m 555,00
302225	C 25.1	Connecting cable for WME 970 <i>digital</i> 6-pin LEMO FFA.2E.306 to PCA.2E.306	length 10 m 660,00
302233	C 25.2	Connecting cable for WME 970 <i>digital</i> 6-pin LEMO FFA.2E.306 to PCA.2E.306	length 20 m 870,00
305005	RS 94	Rainshield for WME 940	370,00
305008	RS 95	Rainshield for WME 950	285,00
305009	RS 96 H	Rain/ Dustshield for WME 960 H, WME 965 H, WME 970 H	630,00
305021		Dustshield for WME 940, WME 950	165,00
305006	TP 94	Dehumidifier for WME 940	180,00
305023	TP 96	Dehumidifier for WME 960, WME 965, WME 970	210,00
305017		Dehydrating bags (5 pieces) for WME 940, WME 960, WME 965, WME 970	10,00
315007	VW 94	Windscreen with birdspikes for WME 940, WME 950	265,00
315008	VW 96 H	Windscreen with birdspikes for WME 960 H, WME 965 H, WME 970 H	305,00
302331	W 94	Windscreen (PUR) for WME 940, WME 950	70,00
302340	W 96 H	Windscreen (PUR) for WME 960 H, WME 965 H, WME 970 H	75,00
302341		Adaptor for Pistonphone 5002 for calibration of all WMEs with horizontal sound incidence	130,00
307007	Adaptor	G 1½" to G1"	105,00
307008	Adaptor	G 1½" to 3/8"	105,00
307001		Tubular mast, V4A steel, 2 x thread G1"	length 0,95 m 130,00
307004		ditto, slit for cable	length 0,30 m 130,00
307002		Sleeve, V4A steel, 2x thread G1"	60,00
307006		Thread Adaptor, V4A steel, W 3/8" thread G1"	105,00
307003		Pipe flange, V4A steel, thread G1"	130,00
307005		Bottom flange, V4A steel, thread G1"	140,00
702003		Transportation case, wood for WME 940	160 x 190 x 1000 mm 220,00
702004		Transportation case, wood for WME 950	160 x 190 x 450 mm 190,00
702007		Transportation case, wood for WME 960, 965, 970	160 x 190 x 1000 mm 220,00
305036		Adjusting tool for WME 940, WME 950	35,00
305037		Adjusting tool for WME 960, WME 965, WME 970	135,00
305038		Closing cap for WME 960, WME 965, WME 970	120,00

Order-No.	Type	Calibration devices	EUR Netto
610039	4000	Calibrator 114 dB, 1000 Hz, Cl. 1 with case und adaptor 1/2"	890,00
600066	4000-2	Adaptor 1/2" for Calibrator 4000	86,00
600053	4000-3	Adaptor 1/4" for Calibrator 4000	86,00
313003	5002	Pistonphone 124 dB, 250 Hz, Cl. 1, with barometer and adaptors 5002-2 1/2"; 5002-3 1/4" in wooden case	1.670,00
303004	5002-5	Holder for 1/2" and 1/4" measuring microphone	250,00
303005	5002-2	Adaptor 1/2" for Pistonphone 5002	86,00
303006	5002-3	Adaptor 1/4" for Pistonphone 5002	86,00
303007	5002-4	Barometer for Pistonphone 5002	45,00
303002	EMK 1	Measuring chamber , for electrostatic actuator measurement, Input BNC	1.395,00
303008	MA 1	Measuring adaptor to EMK 1	
195,00	303009 CA.01	cable for MN 900 to MA 1	length 1 m 35,00
303015	KR 2	Insulation ring 1/2" for insert voltage calibration	100,00
302319	RA 0014	Electrostatic actuator for 1/2"-measuring microphone capsule	325,00
302315	EGA 3	Adaptor for electrostatic actuator for 1/4"-Measuring microphone capsule	170,00
318007	KS 1000	Calibration devices - Set Measuring chamber for electrostatic actuator measurement EMK1 MN 900 measuring microphone power supply, 2 channels Pistonphone 124dB, 250Hz, cl.1, incl. adaptor 1/2" and 1/4" Calibrator 114dB, 1000Hz, cl.1, incl. adaptor 1/2" and 1/4" Reference-measuring microphone capsule MK 202 Measuring microphone preamplifier for insert voltage calibration MV 206, U _{pol} 200 V Adaptor MA 1 for measuring chamber EMK 1 CA.01 cable for MA1 to MN 900 KR 2 insulating ring 1/2" for insert voltage calibration Electrostatic actuator for 1/2"-measuring microphone capsules type RA0014 1/2" Adaptor for electrostatic actuator for 1/4"-measuring microphone capsules type EGA 3 1/4" Connecting cable C 88.02 length 2 m 2x cables BNC.01 length 1 m Case with partial integrated calibration devices	8.190,00

Order-No.	Type	Cable		EUR Netto
302219	BNC.02	BNC connecting cable for ICP® measuring microphones	length 2 m	37,50
302220	BNC.05	BNC connecting cable for ICP® measuring microphones	length 5 m	40,00
302221	BNC.1	BNC connecting cable for ICP® measuring microphones	length 10 m	45,00
302222	BNC.2	BNC connecting cable for ICP® measuring microphones	length 20 m	55,00
302224	C 23.05	Connecting cable for MV 230 <i>digital</i> XLR 3-pin - XLR 3-pin, AES 42	length 5 m	50,00
302223	C 23.1	Connecting cable for MV 230 <i>digital</i> XLR 3-pin - XLR 3-pin, AES 42	length 10 m	60,00
302231	C 23.2	Connecting cable for MV 230 <i>digital</i> XLR 3-pin - XLR 3-pin, AES 42	length 20 m	80,00
302203	C 88.05	Extension cable, 7-pin LEMO-plug 1B	length 5 m	230,00
302201	C 88.1	Extension cable, 7-pin LEMO-plug 1B	length 10 m	270,00
302202	C 88.2	Extension cable, 7-pin LEMO-plug 1B	length 20 m	350,00
302207	C 88 F2	Flatcable, 2 x 7-pin LEMO-plug 1B	length 0,5 m	305,00
302234	C 36.02	Connecting cable Microdot 10-32 UNF	length 2 m	75,00
302235	C 36.05	Connecting cable Microdot 10-32 UNF	length 5 m	90,00
302236	C 36.1	Connecting cable Microdot 10-32 UNF	length 10 m	120,00
302237	C 36.2	Connecting cable Microdot 10-32 UNF	length 20 m	180,00
202212	C 70	Connecting cable XLR 3-pin - XLR 3-pin for MV 220 P 48	length 10 m	74,00
Order-No.	Type	Accessories		
302302	A 63.1	Adaptor for 1" measuring microphone capsules to 1/2" preamplifiers		85,00
302305	A 67	Adaptor for 1/4" measuring microphone capsules to 1/2" preamplifiers		195,00
302304	A 69	Adaptor for 1/2" measuring microphone capsules to 1/4" preamplifiers		195,00
302320	B 65	Acceleration adaptor		195,00
302317	K 63	Measuring capacitor for 1" measuring microphone capsules		195,00
302307	K 65	Measuring capacitor for 1/2" measuring microphone capsules		195,00
302321	K 67	Measuring capacitor for 1/4" measuring microphone capsules		195,00
302332	MH 64 1/2"	Microphone holder for 1/2" microphones		70,00
302333	MH 64 1/4"	Microphone holder with cone for 1/4" microphones		70,00
302335	MH 64 7mm	Microphone holder with cone for M 360		70,00
302316	MH 73	Microphone holder adjustable, connecting thread 3/8"		70,00
302322	NK 63	Nose cone for 1" measuring microphone capsules		195,00
302311	NK 65	Nose cone for 1/2" measuring microphone capsules		195,00
312313	SV 65	Probe adaptor 1/2" with 4 probes		560,00
302342	SV 65-1	Probe adaptor 1/2"	Ø 0,5 mm	105,00
302343	SV 65-2	Probe adaptor 1/2"	Ø 1 mm	120,00
302344	SV 65-3	Probe adaptor 1/2"	Ø 2 mm	160,00
302345	SV 65-4	Probe adaptor 1/2"	Ø 4 mm	180,00
302314	TA 202	Dehumidifier 1/2"		175,00
302318	V 65	Velocity adaptor		195,00
302326	W 1	Windscreen for 1" measuring microphones	Ø 85 mm	20,00
302329	W 2	Windscreen for 1/2" measuring microphones	Ø 70 mm	17,00
312329	W 2 5x	Windscreen W 2, set of 5	Ø 70 mm	69,00
302330	W 3	Windscreen for 1/4" measuring microphones	Ø 50 mm	17,00
312330	W 3 5x	Windscreen W 3, set of 5	Ø 50 mm	69,00
600023	W 4	Windscreen for SIS 90 / SIS 92		46,00
302334	WA 20	Angle adaptor 1/2"		235,00
302339	WA 25	Angle adaptor 1/2"-1/4"		245,00
302312	WA 30	Angle adaptor 1/4"		275,00
600008	ZG 350	Adaptor LEMO 7-pin to B&K 7-pin		145,00
600051	BS 16	Floor stand, incl. boom arm, gray, weight: 3,0 kg; height: 925 / 1630 mm; BL: 805 mm		55,00
600050	BS 30	Floor stand, black, weight: 4,6 kg; height: 1290 / 3010 mm		90,00
600052	BS 40	Floor stand, weight: 10,1 kg; height: 1800 / 4400 mm		200,00
600059	SA 20	Boom arm, weight: 4,0 kg; BL: 1155 / 2060 mm		90,00
600060	SA 7	Boom arm, weight: 0,8 kg; BL: 470 / 770 mm		25,00
600058	TS 13	Table microphone stand with cast-iron base, weight: 1,0 kg; H: 175 mm	Ø 130 mm	30,00

Änderungen und Irrtümer bleiben vorbehalten.

Konstruktive Verbesserungen oder zweckbedingte Änderungen an unseren Erzeugnissen behalten wir uns laufend vor. Sie verpflichten uns nicht zur nachträglichen Änderung bereits gelieferter Geräte oder zum kostenlosen Ersatz von Teilen.

Ausschließliche Grundlage des Vertrages sind unsere Allgemeinen Geschäftsbedingungen mit der Belehrung zum Rückgabe-/Widerrufsrecht für Verbraucher. Diese können unter www.microtechgefell.de/Lieferung und [/Downloads](http://www.microtechgefell.de/Downloads) eingesehen, heruntergeladen und ausgedruckt werden.